





KNEE **BRACING** OFFERS

increased patient confidence after ACL reconstruction⁴⁵



Anti-microbial coating helps neutralize odor while increasing comfort and soft goods longevity.



- Improved joint mechanics and symmetry between both knees¹³
- Increased flexion angles¹⁴
- 60% decrease in non-contact ACL injury rate in both knees[™]
- Useful training tool in future ACL injury prevention programs
- Potentially beneficial in progressing rehabilitation and reducing the incidence of second ACL tears
- Training effects retained by about 50% while not wearing the brace (when training with FourcePoint hinge technology)^s





| | | | Activity Levels | | |
|----------------|--------------|---------------|-------------------------------|-------------|--------|
| | Product | Brace Type | Collision (American Football) | Performance | Active |
| Brace Strength | Defiance | Custom | | • | |
| | Armor | Prefabricated | | • | |
| | FullForce | Prefabricated | | • | |
| | A22* | Custom | | • | |
| | Playmaker II | Prefabricated | | | |
| | | | | | |

ORDERING INFORMATION:

Each A22 is custom made. Measurements taken with CCMI Mark III

*A22 Warranty - 12 months (Performance & Active levels), 6 months (Collision level)

| Size | Thigh | Calf |
|--------------------------|-----------------------------|-----------|
| 5120 | ū | |
| Minimum | 15 1/2" | 12" |
| Maximum | 29" | 19 1/2 |
| Accessories | Description | Size |
| 25-5265 | A22 Gel Condyle Pads (pair) | Universal |
| 25-5261-X-06000 | A22 Suspension Sleeve | S-L |
| 11-0075- X -00000 | Lycra Suspension Sleeve | S-XXL |
| 11-0122- <mark>X</mark> | Neoprene Suspension Sleeve | XS-XXL |

| A22 Sleeve Sizing | | | |
|---|--|--|--|
| X-2 = S 15 1/2" - 18 1/2" (39 - 47 cm) | | | |
| X-3 = M 18 1/2" - 21" (47 - 53 cm) | | | |
| X-4 = L 21" - 23 1/2" (53 - 60 cm) | | | |
| X-5 = XL 23 1/2" - 26" (59.5 - 67.25 cm) | | | |
| X-6 = XXL 26 1/2" - 29 1/2" (67.25 - 75 cm) | | | |
| | | | |




If a patient re-ruptures a reconstructed ACL while wearing a properly fitted DonJoy A22,™ Defiance,™ Armor FourcePoint™ or FULLFORCE™ within one year of purchase, DJO Global will pay a surgical insurance deductible. Visit djoglobal.com for details and eligibility.

- 1. Beynnon BD, Pope MH, Wertheimer CM, Johnson RJ, Fleming BC, Nichols CE, Howe JG, Journal of Bone & Joint Surgery, Am. 1992; 74:1298-1312.
 2. Beynnon BD, Fleming BC, Peura G, Johnson RJ, Renstrom PA, Nichols CE, Pope. The Effect of Functional Knee Bracing in the Anterior Cruciate Ligament in the Weightbearing and Nonweightbearing Knee. 1995.
- 41st Annual Orthopedics Research Society Meeting.
 3. Beynnon BD, Johnson RJ, Fleming BC, Peura G, Renstrom PA, Nichols CE. The Effect of Functional Knee Bracing on the Anterior Cruciate Ligament in the Weightbearing and Nonweightbearing Knee. American Journal of Sports Medicine. 1997; 25(3):353-360.
- 4. Birmingham T, Bryant D, Giffin J, Litchfield R, Kramer J, Donner A, Fowler P. A Randomized Controlled Trial Comparing the Effectiveness of Functional Knee Brace and Neoprene Sleeve Use After Anterior Cruciate. American Journal of Sports Medicine. 2008, 36:4. 648-655 Ligament Reconstruction
 5. Robert Butler, PT, DPT, PhD, Boyi Dai, PhD, William Garrett, MD, PhD, and Robin M. Queen, PhD. Changes in Landing Mechanics in Patients Following Anterior Cruciate Ligament Reconstruction When Wearing
- an Extension Constraint Knee Brace. Sports Health Online, February 26, 2014.
 6. Silvers HJ, Mandelbaum BR. Prevention of Anterior Cruciate Ligament Injury in the Female Athlete. Br J Sports <ed. 2007; 41 (suppl):i52-i59
 7. Sterett WI, Briggs KK, Farley T, Steadman JR. Effect of Functional Bracing on Knee Injury in Skiers with Anterior Cruciate Ligament Reconstruction: A Prospective Cohort Study. 2006: 34:1581-1585.

- 8. Paterno MV. Paper #2. Presented AOSSM Annual Meeting; July 11-14, 2013; Chicago.
- 9. Griffn LY, Albohm MJ, Arendt, EA, et al. Understanding and Preventing Noncontact Anterior Cruciate Ligament Injuries: A Review of the Hunt Valley II Meeting, January 2005. American Journal of Sports Medicine.
- 10. Arendt EA, Agel J, Dick R. Anterior cruciate ligament injury patterns among collegiate men and women. Journal of Athletic Training, 1999; 34(2):86-92.

 11. Wright RW, Magnussen RA, Dunn WR, Spindler KP, Ipsilateral Graft and Contralateral ACL Rupture at Five Years or More Following ACL Reconstruction. Journal of Bone and Joint Surgery, Am. 2011; 93:1159-1165.
- 12. Spindler et al. Return to High School and College-Level Football After Anterior Cruciate Ligament Reconstruction. Am J Sports Med. Published online Aug. 24, 2012.
- 13. Queen R, Butler RJ, Dai B, Garrett WE. Effects of Knee Extension Constraint Bracing on Lower Extremity Motion Patterns in Post-ACL Reconstruction Patients. Interium Report of 6-12 month data from the ongoing study, 2012. 14. Yu B, Herman D, Preston J, Lu W, Kirkendall DT, Garrett WE. Immediate Effects of a Knee Brace with a Constraint to Knee Extension on Knee Kinematics and Ground Reaction Forces in a Stop-Jump Task. AJSM.
- 2004; 32:1136-1143.
- 15. Yu B. Training Effects of Knee Extension Constraint Brace on Lower Extremity Motion Patterns and the Risk for Non-Contact ACL Injury. Feagin Leadership Forum. Duke Sports Medicine Center, 2010
- 16. Hui Liu, PhD, Will Yu, PhD, Wanxiang Yao, PhD, Jeffrey T. Spang, MD, R. Alexander Creighton, MD, William Garrett, MD, PhD, and Bing Yu, PhD. Effects of Knee Extension Constraint Training on Knee Flexion Angle and Peak Impact Ground-Reaction Force. AJSM PreView. February 14, 2014.





DJO, LLC | A DJO Global Company

D 760.727.1280 **F** 800.936.6569 **T** 800.336.6569 1430 Decision Street | Vista, CA 92081-8553 | U.S.A. DJOglobal.com

Connect with us



DIO Global proudly sponsors







